
BALINER 180 - EF




Owner's Manual

| Engine Serial Number: | |
|--------------------------------|------|
| Hull Identification Num | per: |

Hull Identification Number

- The Hull Identification Number (HIN) is located just below the deck gunnel at the starboard aft corner of the boat.
- Record the HIN (and the engine serial number) in the space provided above.
- Include the HIN with any correspondence or orders.



© 2015 Bayliner Technical Publications. All rights reserved.

No part of this publication may be reproduced, stored in any retrieval system, or transmitted in any form by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of Bayliner.

Printed in the United States of America.

General Notes

The material in this document is for information only and is subject to change without notice. While reasonable efforts have been made in the preparation of this document to assure its accuracy, Bayliner assumes no liability resulting from errors or omissions in this document, or from the use of information contained herein. Due to our commitment to product improvement, Bayliner reserves the right to make changes in the product design, specifications, and equipment at any time without notice or obligation. Illustrations and/or photos may show optional equipment.

All Bayliner products meet or exceed USCG (United States Coast Guard) and/or NMMA (National Marine Manufacturer's Association) construction standards. Manufactured with 1,1,1 Trichloroethane, a substance which harms public health and environment during the manufacturing process by destroying ozone in the upper atmosphere.

Proprietary Rights

This document discloses subject matter in which Bayliner has proprietary rights. The information and design disclosed herein were originated by and are the property of Bayliner. Neither receipt nor possession thereof confers or transfers any right to reproduce, copy, alter or disclose the document or any part thereof, any information contained therein, or to construct boats or any item from it, except by written permission from or written agreement with Bayliner. This document is to be returned upon request to Bayliner.

CONTENTS

| Chapter 1: Welcome Aboard | 1 |
|---|----|
| Dealer Service | 1 |
| Boating Experience | 1 |
| Manufacturer's Certification | 2 |
| International Requirements | 2 |
| Engine, Accessory Guidelines and Literature | 3 |
| Qualified Maintenance | 4 |
| Special Care for Moored Boats | 4 |
| Safety Standards | 5 |
| Carbon Monoxide (CO) | 6 |
| CO Facts | 6 |
| Factors that Increase the Effects of CO Poisoning | 6 |
| Where and How CO Can Accumulate | |
| How to Protect Yourself and Others From CO | 7 |
| CO Checklists | 8 |
| More Information | 8 |
| Chapter 2: Locations | 9 |
| Dimensions and Specifications | 9 |
| Stability | 10 |
| Deck Occupation Areas | 11 |
| Load Capacity | |
| Passenger Locations | 13 |
| Design Category | 14 |
| Warning Labels | 15 |
| Helm Warning Labels | 16 |
| Exterior Views | |
| Hull View | 17 |
| Deck View | 18 |
| Helm View | 19 |
| Component Locations | 20 |
| Bilge Components | 20 |
| Chapter 3: Propulsion and Related Systems | 21 |
| Engine | 21 |
| Gasoline Fuel System | 22 |
| Chapter 4: Controls and Gauges | |
| Steering | 24 |
| Shift/Throttle Controls | 24 |
| Power Trim and Tilt | 24 |
| Gauges | 24 |

| At a F. M. Codley Frederical | 25 |
|---|---|
| Chapter 5: Navigation Equipment | |
| Depth Finder (If Equipped) | 25 |
| Chapter 6: Plumbing | |
| Bilge Pump | 26 |
| Bilge Pump Testing | 27 |
| Drain System | |
| Deck Drains | 27 |
| Chapter 7: Deck Equipment | |
| Cleats and Bow/Stern Eyes | |
| Ski-Tow Tower (If Equipped) | |
| Canvas (If Equipped) | |
| Bimini Top (If Equipped) | 32 |
| Canvas Care | |
| Chapter 8: Entertainment System | 33 |
| Audio System (If Equipped) | |
| Chapter 9: Lights | 34 |
| Care and Maintenance | 34 |
| Interior and Exterior Lights | |
| Navigation Lights | |
| Chapter 10: Electrical System | |
| 12-Volt DC System | 000 HIE H - No AMERICA - 1990 C. 11 - 11 - 11 - 11 - 11 - 11 - 11 - 1 |
| Battery | |
| Fuses | |
| 12-Volt DC Accessory Outlet (If Equipped) | |
| Alternator | |
| DC Wiring Schematics | |
| Electrical Routings | |
| 12-Volt DC Deck Harnesses | |
| Battery Cable Routings | 2 Holes HRAPE - HI - HARD HARD 1990, - 41 |

Hazard Boxes and Symbols

The hazard boxes and symbols shown below are used throughout this supplement to call attention to potentially dangerous situations which could lead to either personal injury or product damage. Read all warnings carefully and follow all safety instructions.

DANGER

DANGER - Immediate hazards which WILL result in severe personal injury or death if the warning is ignored.

♠ WARNING

WARNING - Hazards or unsafe practices which MAY result in severe personal injury or death if the warning is ignored.

! CAUTION

CAUTION - Hazards or unsafe practices which COULD result in minor injury, product or property damage if the warning is ignored.

NOTICE

Information which is important to proper operation or maintenance, but is not hazard related.

Chapter 1: Welcome Aboard!

This Owner's Manual Supplement provides specific information about your boat that is not covered in the Sport Boat Owner's Manual.

- The Sport Boat Owner's Manual contains general information about safe operating practices, general boating regulations, and general maintenance techniques.
- Before using your boat, study this Owner's Manual Supplement, the Sport Boat Owner's Manual, and all
 engine and accessory literature carefully. If similar instructions are found in more than one manual, always
 refer actual to the manufacturer's manual (such as the engine manual) for the most complete and accurate
 information.
- Keep this Owner's Manual Supplement and the Sport Boat Owner's Manual on your boat in a secure, yet readily available place.

Dealer Service

Your dealer is your key to service.

- Ask your dealer to explain all systems before taking delivery of your boat.
- Contact your dealer if you have any problems with your new boat.
- If your dealer cannot help, call our customer service hotline: 865-971-6311.
- Bayliner advises that all rigging, installation and prep work on any Bayliner product be done by an
 authorized dealer at the authorized dealer's location.
- Buy replacement parts from any authorized Bayliner dealer.
- You can access additional information by logging on to http://www.bayliner.com.

Warranty Information

- Bayliner offers a Limited Warranty on each new Bayliner purchased through an authorized Bayliner dealer.
- A copy of the Limited Warranty was included in your owner's packet.
- If you did not get a copy of the Limited Warranty, please contact your Bayliner dealer or call 865-971-6311 for a copy.

Boating Experience



CONTROL HAZARD!

An experienced operator MUST be in control of your boat at ALL times. Do NOT operate your boat while under the influence of alcohol or drugs.

If this is your first boat or if you are changing to a type of boat you are not familiar with, for your own comfort and safety, get handling and operating experience before assuming command of your boat. Take one of the boating safety classes offered by the United States Power Squadrons® or the United States Coast Guard Auxiliary. For more course information, including dates and locations of upcoming classes, contact the organizations directly:

- U.S. Power Squadrons: 1-888-FOR-USPS (1-888-367-8777) or www.usps.org
- U.S. Coast Guard Auxiliary: 1-800-368-5647 or www.cgaux.org
- In Canada, for CPS courses: 1-888-CPS-BOAT

Outside the United States, your sales dealer, national sailing federation, or local boat club can advise you of local sea schools or competent instructors.

BAYLINER.

Chapter 1: Welcome Aboard! 180 - EF · Owner's Manual

Manufacturer's Certification

As a boat manufacturer, Bayliner builds their products to guidelines established under the Federal Boat Safety Act of 1971. The Act is promulgated by the United States Coast Guard who has authority to enforce these laws on boat manufacturers that sell products in the United States. Bayliner ensures that all of its products comply with these laws.

The National Marine Manufacturers Association (NMMA) provides Bayliner with a third party certification. The NMMA is an organization that represents the marine industry and assists manufacturers, boat dealers, marinas, repair yards and component suppliers in areas of legislation, environmental concerns, marine business growth and state and federal government agency interaction. The third party certification that Bayliner participates in, uses the well known Standards and Recommended Practices of the American Boat and Yacht Council (ABYC). Bayliner Boats cooperates with the American Boat and Yacht Council which is a nonprofit organization that develops and publishes voluntary standards and recommended practices for boat and equipment design, construction, service and repair. We apply all relevant ABYC standards in the construction of your Bayliner craft.

Finally, Bayliner sells their products world wide and as such must conform to rules and regulations required by other countries. Most notable, are the European ISO standards which require application of the Common European (CE) mark. This mark, much like the NMMA certification here in the US, gives you, the boat owner, with specific information concerning your craft.

International Requirements

Depending on your boat's original destination, the vessel and its systems may have been constructed in accordance with standards and specifications published by various international authorities such as:

- Construction Standards for Small Vessels Canada
- Recreational Craft Directive and applicable ISO Standards European Union
- AS/NZ 3004 Electrical Installations Australia/New Zealand

Further information concerning these requirements may be obtained from your local dealer.

Engine & Accessory Guidelines & Literature

NOTICE

- Before starting or working on your engine(s), read the engine manual.
- Before using the accessories on your boat, read the accessory manuals.
- Before storing your boat, refer to your engine and accessory manuals for storage/winterization instructions.

NOTICE

Certain modifications to your boat will result in cancellation of your warranty protection. Always check with your dealer before making any modifications.

- · Your boat's engine and accessories were selected to provide optimum performance and service.
- · Installing a different engine or adding accessories may affect your boat's running trim.
- If you choose to install a different engine or add accessories that may affect your boat's running trim, have a
 trained marine technician perform a safety inspection and handling test before using your boat again.
- The engine and accessories on your boat have their own manuals. Read these manuals before using the
 engine and accessories.

Unless otherwise noted, all engine and accessory literature referred to in this supplement is included in your owner's packet.

While the topics listed below may be included in this *supplement* and in the *Cruiser* & *Yacht Owner's Manual*, *always* refer to the engine manual first for specific information on these important subjects:

- · Engine Break-in Procedure
- · Engine Starting and Stopping
- · Gear Shifting

- Fuel and Oil Recommendations
- Engine Maintenance
- Engine Storage/Winterization

Propeller

! CAUTION

ENGINE DAMAGE HAZARD!

The factory standard propeller may not be the best for your particular boat and load conditions. Refer to the engine manual RPM ratings. The engine should reach, but not exceed its full rated RPM when full-throttle is applied. Immediately contact your local Bayliner dealer if:

- The engine cannot reach its full rated RPM when full-throttle is applied
- The engine exceeds its full rated RPM when full-throttle is applied
- · Keep the propeller in good repair and at the correct pitch for your particular situation.
- · A slightly bent or nicked propeller will adversely affect the performance of your boat.

BHHLINER.

Qualified Maintenance

! WARNING

To maintain the safety of your boat, allow ONLY trained personnel to work on, or change, in any way, the following:

- Steering system
- Propulsion system
- Engine control system
- Fuel system
- Environmental control system
- Electrical system
- Navigation system

Failure to maintain your boat's systems (listed in the warning above) as designed could violate the laws in your jurisdiction and could expose yourself and others to the danger of bodily injury or accidental death.

Follow the maintenance instructions in:

- · This Owner's Manual Supplement
- · The Sport Boat Owner's Manual
- · The engine owner's manual, and;
- · All accessory literature.

Special Care for Moored Boats

NOTICE

- To help seal the hull bottom and reduce the chance of gel coat blistering while your boat is moored, apply an epoxy barrier coating.
- The barrier coating should be covered with several coats of anti-fouling paint.
- Many states regulate the chemical content of bottom paints in order to meet environmental standards. Check with your local dealer about recommended bottom paints, and about the laws in effect in your area.
- Whether moored in saltwater or freshwater, your boat will collect marine growth on its hull bottom.
- This will detract from your boat's beauty, greatly affect its performance, and may damage the gel coat.
- Periodically haul your boat out of the water and scrub the hull bottom with a bristle brush and a solution of soap and water.

Safety Standards

A DANGER

FALLING and ROTATING PROPELLER HAZARD!

- NEVER allow anyone to ride on parts of your boat not designed for such use.
- Sitting on seat-backs, lounging on the forward deck, bow riding, gunwale riding
 or occupying the transom platform while underway is especially hazardous and
 WILL cause personal injury or death.

A DANGER

FALLING, ROTATING PROPELLER and CARBON MONOXIDE POISONING HAZARD!

- NEVER allow anyone to occupy, or hang from, the back deck or transom platform while the engine is running.
- Teak surfing, dragging, or water skiing within 20 feet of a moving watercraft can be fatal.

A DANGER

PERSONAL SAFETY HAZARD!

- ALWAYS secure the anchor and other loose objects BEFORE getting underway.
- The anchor and other items that are not properly secured can come loose when your boat is moving and cause personal injury or death.

! WARNING

A wide variety of components used on this vessel contain or emit chemicals known to the State of California to cause cancer and birth defects and other reproductive harm. Examples include:

- Engine and generator exhaust
- Engine and generator fuel, and other liquids such as coolants and oil, especially used motor oil
- Cooking fuels
- Cleaners, paints, and substances used for vessel repair
- Waste materials that result from wear of vessel components
- Lead from battery terminals and other sources such as ballast or fishing sinkers
 To Avoid Harm:
- Keep away from engine, generator, and cooking fuel exhaust fumes.
- Wash exposed skin thoroughly with soap and water after handling the substances above.
- Your boat's mechanical and electrical systems were designed to meet safety standards in effect at the time it
 was built.
- Some of these standards were mandated by law, and all of them were designed to insure your safety and the safety of other people, vessels and property.

Read this supplement, the *Sport Boat Owner's Manual*, the engine owner's manual, and *all* accessory instructions for important safety standards and hazard information.

Carbon Monoxide (CO)



DANGER

- Carbon monoxide gas (CO) is coloriess, odoriess, tasteless, and extremely dangerous.
- ALL engines, generators, and fuel burning appliances produce
 CO as exhaust.
- Prolonged exposure to low concentrations or very quick exposure to high concentrations WILL cause BRAIN DAMAGE or DEATH.
- Teak surfing, dragging, or water skiing within 20 feet of a moving watercraft can be fatal.

CO Facts


- CO poisoning causes a significant number of boating deaths each year.
- Called the "silent killer", CO is an extremely toxic, colorless, odorless and tasteless gas.
- · CO can harm or even kill you inside or outside your boat.
- CO can affect you whether you're underway, moored, or anchored.
- CO symptoms are similar to seasickness or alcohol intoxication.
- CO can make you sick in seconds. In high enough concentrations, even a few breaths can be fatal.
- Breathing CO blocks the ability of your blood to carry oxygen.
- The effects are cumulative. Even low levels of exposure can result in injury or death.


Factors that Increase the Effects of CO Poisoning

- Age
- · Smokers or people exposed to high concentrations of cigarette smoke
- · Consumption of alcohol
- · Lung disorders
- Heart problems
- Pregnancy

Where & How CO Can Accumulate

Stationary conditions that increase CO accumulations include:







B. Mooring too close to another boat that is using its engine, generator, or other fuel burning device.

To correct stationary situations A and/or B:

- · Close all windows, portlights and hatches.
- If possible, move your boat away from source of CO.

Running conditions that increase CO accumulations include:





D. Running boat without through ventilation (station wagon effect).

To correct running situations C and/or D:

- Trim bow down.
- · Open windows and canvas.
- · When possible, run boat so that prevailing winds help dissipate exhaust.

How to Protect Yourself & Others From CO

- · Know where and how CO may accumulate in and around your boat (see above).
- · Always maintain fresh air circulation throughout your boat.
- · Know where your engine and generator exhaust outlets are located and keep everyone away from these areas.
- Never sit on, or hang onto, the back deck or transom platform while the engine is running.
- · Never enter the areas under transom platforms where exhaust outlets are located.
- · Although CO can be present without the smell of exhaust fumes, if exhaust fumes are detected on your boat, take immediate action to dissipate these fumes.
- Treat symptoms of seasickness as possible CO poisoning. Get the person into fresh air immediately. Seek medical attention—unless you're sure it's not CO.
- · Maintain the CO monitors that are installed inside your boat. Never ignore any alarm. Replace monitors as recommended by the monitor manufacturer.
- · Follow the checklists provided on the next page.
- · Get a Vessel Safety Check.

For information on how to get a free VESSEL SAFETY CHECK, visit www.vesselsafetycheck.org or contact your local U.S. Coast Guard Auxiliary or United States Power Squadrons®.

- U.S. Coast Guard Auxiliary: 1-800-368-5647 or on the Internet at: http://www.cgaux.org
- U.S. Power Squadrons: 1-888-FOR-USPS (1-888-367-8777) or on the Internet at: http://www.usps.org

BAHLINER.

CO Checklists

| Tale | AL. | Lilla |
|------|------|-------|
| ITID | Chec | MIIS |

| | Make sure you know where the exhaust outlets are located on your boat. |
|-----|--|
| | Educate all passengers about the symptoms of CO poisoning and where CO may accumulate. |
| | When docked, or rafted with another boat, be aware of exhaust emissions from the other boat. |
| | Listen for any change in exhaust sound, which could mean an exhaust component failure. |
| Mon | thly Checklist |
| П | Make sure all exhaust clamps are in place and secure. |

□ Look for exhaust leaking from exhaust system components. Signs include rust and/or black streaking,

Inspect rubber exhaust hoses for burned, cracked, or deteriorat ing sections. All rubber hoses should be

Annual Checklist

Have a Trained Marine Technician:

pliable and free of kinks.

water leaks, or corroded or cracked fittings.

| 1101 | e a rranice manne roommean. |
|------|---|
| | Replace exhaust hoses if cracking, charring, or deterioration is found. |
| | Ensure that your engines and generators are properly tuned, and well maintained. |
| | Inspect each water pump impeller and the water pump housing. Replace if worn. Make sure cooling systems are in working condition. |
| | Inspect all metallic exhaust components for cracking, rusting, leaking, or loosening. Make sure they check the cylinder head gasket, exhaust manifold, water injection elbow, and the threaded adapter nipple between the manifold and the elbow. |
| | Clean, inspect, and confirm proper operation of the generator cooling water anti-siphon valve (if equipped). |

More Information

1-800-368-5647


For more information about preventing carbon monoxide poisoning on recreational boats and other boating safety tips, contact:


United States Coast Guard
Office of Boating Safety (G-OPB-3)
2100 Second Street SW
Washington, DC 20593
www.uscgboating.org

National Marine Manufacturers Association (NMMA) 200 East Randolph Drive Suite 5100 Chicago, IL 60601-9301 www.nmma.org 312-946-6200 American Boat & Yacht Council, Inc. (ABYC) 613 Third Street Suite 10 Annapolis, MD 21403 www.abycinc.org 410-990-4460

Chapter 2: Locations

Dimensions and Specifications





18 - EF Specifications:

| 10 - E1 Opt | cincations. | |
|----------------------|-------------|---------------|
| (A) Length Overall | 19' 11" | 6.08 m |
| (B) Beam | 7' 4" | 2.24 m |
| (C) Length of Hull | 18' 0.5" | 5.50 m |
| (D) Bridge Clearance | 7' 12" | 2.43 m |
| (E) Height From LWL | 5' 2" | 1.57 m |
| (F) Draft (Hull) | 1' 0.6" | 0.32 m |
| (G) Draft (Maximum) | 2' 7" | 0.79 m |
| (I) Overall Height | 6' 2.4" | 1.89 m |
| Fuel Capacity | 33 gallons | 124.92 liters |
| Dry Weight | 1851 lbs | 840.00 kg |
| Dead Pine | 170 | _ |

BAYLINER.

Stability

! WARNING

Wet decks are slippery.

You can be seriously injured if you slip and fall.

Wear slip resistant footwear secured to your feet and hold on to rails or boat structure.

! WARNING

Boat motion can be erratic.

You can fall overboard or be injured by hitting something in or on the boat. All persons must be in cockpit area or cabin and be prepared for sudden boat movement.

Use front or bow deck area only during anchoring, mooring or emergencies

When persons are on the working deck area, for anchoring, mooring, or in emergencies, they must be holding on and be positioned so as to prevent falling. In bad weather and/or rough water, if it is essential to be on deck, persons should be closely tied to cleats, railing stanchions or other securely fastened boat hardware. Your boat was manufactured to specific stability and flotation standards for the capacity shown on the certification plate. Any increase from the recommended load capacities will put your boat in jeopardy of capsizing, swamping and/or sinking.

In Addition:

- Stability may be substantially reduced if equipment is added above the deck.
- Stability is substantially reduced by loose fluids or weight within the hull. Keep bilge area as dry as possible, and close all openings, hatches and windows in rough weather.

A DANGER

Roating propellers can injure or kill you.


shut off engine when persons are in water near boat, or on swim platform or ladder.

! WARNING

Distribute passengers and gear as uniformly as possible from front to rear and left to right.

The manufacturer's load rating is the maximum allowed under calm conditions. Reduce boat loading if weather, water or other conditions are adverse.

Deck Occupation Areas



Load Capacity

! WARNING

Never carry more weight or passengers than indicated on the certification plate, regardless of weather or water conditions.


The boat can capsize, swamp or sink.

If present, the capacity information plate (located near the helm) indicates maximum weight and number of persons your boat can handle under calm sea conditions. Do not exceed the load capacities stated. The number of people on board must be reduced if you go out in poor weather and rough water.

The type of capacity plate will vary depending upon the local governing authority.

- A. United States The United States Coast Guard only provides specific numbers for passenger capacity or cargo weight for recreational vessels up to 20', (6.1 meters). NMMA provides capacity for boats under 26' (7.9 meters).
- B. Canada Transport Canada only provides specific numbers for passenger capacity or cargo weight for recreational vessels up to 6 meters (19.7').
- C. Australia The Australian Transport Council provides specific numbers for passenger capacity and cargo weight for all recreational vessels.
- D. European Union CE regulations provide specific information for passenger capacity and cargo weight for all recreational vessels.







Passenger Locations

NOTICE

The maximum number of persons listed on the capacity plate may be affected by where the vessel is registered. See Load Capacity.



DOMESTIC



INTERNATIONAL, (CE)

Design Category

There are four design categories of boats based upon their abil ity to withstand wind and sea or water conditions:

A. Ocean

Designed for extended voyages where conditions may exceed wind force 8 (Beaufort scale) and significant wave heights of 4 m and above but excluding abnormal conditions,, and vessels largely self-sufficient.

B. Offshore

Designed for offshore voyages where conditions up to, and including, wind force 8 and significant wave heights up to, and including, 4 m may be experienced.

C. Inshore

Designed for voyages in coastal waters, large bays, estuaries, lakes and rivers where conditions up to, and including, wind force 6 and significant wave heights up to, and including, 2 m may be experienced

D. Sheltered waters

Designed for voyages on sheltered coastal waters, small bays, small lakes, rivers, and canals when conditions up to, and including, wind force 4 and significant wave heights up to, and including, 0.3 m may be experienced, with occasional waves of 0,5 m maximum height, for example from passing vessels


A DANGER

DO NOT ATTEMPT TO BOAT IN SEVERE WEATHER CONDITIONS
DEATH OR SERIOUS INJURY CAN OCCUR
GET TO SHORE BEFORE THE WEATHER TURNS BAD

The wind speed and wave height specified as the upper limit for your category of boat does not mean that you or your passengers can survive if your boat is exposed to these conditions. Only the most experienced operators and crew may be able to operate a boat safely under these conditions.

You must always be aware of weather conditions and head for port or protected waters in sufficient time to avoid being caught in high winds and rough water. Do not take chances!

Warning Labels



WARNING

DO NOT STORE FUEL OR FLAMMABLE LIQUIDS HERE VENTILATION HAS NOT BEEN PROVIDED FOR EXPLOSIVE VAPORS

I WARNING

A

₿

Θ

0

0

0

Gasoline vapors are explosive!

Avoid serious injury or death from fire or explosion, resulting from leaking fuel.

Inspect system for leaks at least once a year.
The use of fuels containing ethanol higher than 10% (E-10) can damage your engine or fuel system and will void the warranty. Naver use (E-85).

Open flame appliances can ignite gasoline vapors causing death or injuries from the fire or explosion. Turn off all open flame appliances when refueling.

WARNING

LEAKING FUEL IS A FIRE AND EXPLOSION HAZARD. INSPECT SYSTEM REGULARLY. EXAMINE FUEL TANKS FOR LEAKS OR CORROSION AT LEAST ANNUALLY.

1 CAUTION

IF SWITCH IS TURNED OFF WHILE ENGINE IS RUNNING ALTERNATOR WILL BE DAMAGED.

NOTICE

CHECK BATTERY CELL FLUID LEVEL APPROXIMATELY EVERY 4 WEEKS, AND MORE OFTEN IN SUMMER AND HOT ZONES.

I WARNING

USE CAUTION WITH SKIER IN TOW AS TOW ROPE MAY BACKLASH INTO COCKPIT WHEN RELEASED

A DANGER

TO AVOID RISK OF SERIOUS INJURY OR DEATH SHUT OFF ENGINE WHEN NEAR SWIMMERS OR PRIOR TO USING SWIM PLATFORM AND BOARDING LADDER

PREVENT THE DISCHARGE OF POLLUTANTS
DISCHARGE OF OIL OR OILY WASTE INTO NAVIGABLE WATERS IS
PROHIBITED IF SUCH A DISCHARGE CAUSES A FILM, SHEEN OR

PROHIBITED IF SUCH A DISCHARGE CAUSES A FILM, SHEEN OR A DISCOLORATION OF THE SURFACE, OR CAUSES A SLUDGE OR EMULSION BENEATH THE SURFACE OF THE WATER VIOLATORS ARE SUBJECT TO PENALTIES

0


A DANGER


Garbon monoxide (GO) can cause brain damage or death.

Engine and generator exhaust contains adortese and colorless surban monoxida gas.

Carbon monoxide will be around the back of the boat when engines or generators are running. Move to freehelf, if you feel nausee, headache, dizziness, or drowsiesse.

Helm Warning Labels





THE UNITED STATES COAST GUARD (USCO)
RECOMMENDS THAT ALL
OCCUPANTS WEAR APPROVED PERSONAL
FLOATATION DEVICES (PFDs).
A DANISLE
PROPELLER(S) MAY CAUSE SERIOUS
INJURY OR DEATH
Shut-off engine(s) when near swimmers, prior to using surposts, swim pleation, or boarding ladder.

| WARNING
AVOID COLLISIONS-


- Meintain lookout as required by the "Rules of the Road"
- The Hodat Visibility can be fimited by high boost tirm engles, persons, geer, weather and atmospheric conditions. At all times proceed at a safe speed, in order to take proper and effective action to avoid huzzardous conditions.


SUCH ISSUES ARE UNDER THE CONTROL OF THE OPERATOR!

AVOID SKI LINES AND TOW ROPES-Ski lines and tow ropes can backlash into the cockpit when released.

CAUTION

AVOID INHALATION OF TOXIC FUMESif fire extinguishing system discharge occurs, ventilate space before entering.






0


! WARNING


QUALIFIED OPERATOR TO BE IN CONTROL AT ALL TIMES. OPERATION BY AN UNQUALIFIED OPERATOR CAN CAUSE LOSS OF CONTROL. THIS MAY RESULT IN SEVERE INJURY, DEATH OR PROPERTY DAMAGE. BOAT STABILITY AND HANDLING WILL CHANGE WITH WEIGHT DISTRIBUTION.

READ OWNERS MANUAL BEFORE USE.


Exterior Views Hull Views









Deck View




Helm View



Component LocationsBilge Components



INTERNATIONAL, (CE)



DOMESTIC

Chapter 3: Propulsion and Related Systems

Engine

NOTICE

Read the engine manual BEFORE starting or working on your engine

While the topics listed below may be included in this supplement and in the *Sport Boat Owner's Manual*, always refer to the engine manual first for specific information on these important subjects:

- Engine Break-in Procedure
- Engine Starting and Stopping
- Gear Shifting
- Fuel and Oil Recommendations
- Engine Maintenance
- Engine Storage/Winterization

Gasoline Fuel System

The gasoline fuel system consists of a fuel tank, fuel tank vent, anti-siphon valve, engine fuel supply line and fuel fill. Your vessel contains a new EPA certified fuel system. The system prevents spit back when filling the tank and lowers the out gassing emissions through the tank and vent.

! WARNING

FIRE, EXPLOSION, and OPEN FLAME HAZARD!


- Thoroughly inspect the fuel system for leaks every time you take on fuel.
- Follow both the Sport Boat Owner's Manual fueling instructions and the engine operation manual fuel recommendations.

! CAUTION

Avoid the storage or handling of gear near the fuel lines, fittings and tank.

NOTICE

Carefully read the fuel section of both the *Sport Boat Owner's Manual* and the engine operation manual, paying special attention to the subject of fuel recommendations.



Fuel Tank Vent and Fuel Fill

Your boat is equipped with a fuel tank vent which serves as a pressure/vacuum release. Periodically check the vents to ensure that they are not clogged.

The fuel fill deck fitting is marked GAS. If you have problems filling the fuel tank, see if the fuel fill hose or fuel tank vent hose is kinked or collapsed. If there are no visible signs of a problem, contact your local dealer.

Anti-Siphon Valve

NOTICE

- If an engine running problem is diagnosed as fuel starvation, check the anti-siphon valve.
- If the valve is stuck or clogged, turn Off the engine and then repair or replace the valve.
- Except in an emergency, NEVER run the engine without the anti-siphon valve.

The anti-siphon valve is a vital part of the fuel system.

If the fuel line ruptures, this valve prevents the siphoning of fuel from the tank. The valve is located on the fuel tank, where the fuel feed line attaches to the tank. The valve is spring loaded and is opened by the fuel pump vacuum.

Carbon Canister Venting System

Your boat is equipped with a carbon canister. This canister filters all the hydrocarbons that pass through the canister. If the carbon canister is mounted in the engine compartment, the canister will have a heat shield. Periodically check that the shield has not become damaged.

Fuel Recommendations

The quality of the fuel is critical for satisfactory engine performance and long engine life. Care should be taken to select fuels having the octane rating recommended for the engine, as indicated in the owner's manual, for proper operation. Fuel should be clean and free of contamination. Your fuel tanks should be kept full of fuel whenever possible. This will reduce the amount of water condensation and reduce the possibility of contamination.

When filling the tank, do NOT attempt to top off the tank. When the fill nozzle shuts off, the tank is full. Continuing to fill past the fuel fill shut off will cause the system to spit back.

Chapter 4: Controls and Gauges

Steering

- · Boat steering is not self-centering.
- Your boat features a mechanical rack-and-pinion steering.
- Refer to the engine manual for steering system details.

Shift / Throttle Controls



LOSS OF CONTROL HAZARD!

Improper maintenance of the shift/throttle hardware may cause a sudden loss of control.

Read all of the information about the shift/throttle controls in the shift/throttle manual, the engine operation manual, and the *Sport Boat Owner's Manual*.

Power Trim and Tilt

- The outboard engine on your boat is equipped with power trim and tilt.
- Trim and tilt instructions are provided in the engine operation manual and the shift/throttle manual.

Gauges

Cleaning the Gauges



PRODUCT or PROPERTY DAMAGE HAZARD!

- Use only mild soap and water to clean the gauge lenses and beze ls.
- Use of other cleaners, including common window cleaning solutions, may cause the lenses to crack.
- Lenses cracked in this manner will NOT be covered by our warranty.

Gauge Fogging

- Moisture may occasionally find its way into the gauges causing lens fogging.
- Turning On the gauge lights will help dry the lenses.
- Fogging will not harm the gauges.

Fuel Gauge

It is normal for the pointer on your fuel gauge to bounce as fuel sloshes back and forth in the fuel tank.

Chapter 5: Navigation Equipment

Read the manuals for all navigation and communication equipment before using these systems.

Depth Finder (If Equipped)

! WARNING

- Do NOT use the depth finder as a navigational aid to prevent collision, grounding, boat damage or personal injury.
- When your boat is moving, submerged objects will NOT be seen until they are already under your boat.
- Bottom depths may change too quickly to allow time for your boat to react.
- If you suspect shallow water or submerged objects, run your boat at very slow speeds.

Ski - Tow Tower (If Equipped)

! WARNING

PERSONAL INJURY and/or PRODUCT or PROPERTY DAMAGE HAZARD!


- Failure to follow these guidelines can result in injury or death:
- Read ALL warning labels on ski-tow tower.
- BEFORE each use of the boat and BEFORE each use of the folding ski-tow tower, make sure the lock-down bolts are tightened firmly.
- ONLY tow water skis, wakeboards, or kneeboards.
- Do NOT exceed the MAXIMUM tow weight of 400 pounds.
- Do NOT tow parasail's, kites, tubes, rafts or other boats.
- Do NOT tow more than one person at a time.
- Do NOT climb on, sit on, stand on, jump off or dive off tower.
- NEVER allow passengers to sit behind tow rope attachment point.
- Use caution with skier in tow as tow rope may snap back into cockpit when released.
- NEVER allow loose tow rope ends to dangle off tower.
- When tower is up, watch for low obstacles such as tree limbs, bridges, or power lines.

Attaching the ski-tow rope

Place the ski-tow rope's loop (A) over the ski-tow pylon (B).

Put a twist in the ski-tow rope's loop (A) and slide the loop over the ski-tow pylon (B) again.

Pull firmly on the ski-tow rope to tighten.



Canvas (If Equipped)



PRODUCT or PROPERTY DAMAGE HAZARD!

Take down and securely stow ALL canvas and vinyl BEFORE your boat is transported by road.

Bimini Top (If Equipped)

- 1. Insert the end eyes of the main bow (A) into the forward deck hinges (B) and insert the securing pins.
- 2. Insert the end eyes of the aft braces (C) into the aft deck hinges (D) and insert the securing pins.
- Unfold the canvas and attach the forward straps (E) to the deck strap eyes (F).
- Adjust the straps to remove any slack.
- The jaw slides (G) should not need to be adjusted.
- If you decide to adjust the jaw slide positions, obtain the cor rect measurements from your selling dealer.



Canvas Care

- After each use, especially in saltwater, rinse the canvas with cold freshwater.
- · Before stowing, let the canvas air-dry completely.
- The canvas can be rolled or folded for stowage.

Cleaning the Canvas



NEVER use detergents when washing the canvas. Detergents can destroy the water repellency, and mildew/UV resistant finish of your canvas.

Regularly clean the canvas to prevent dirt, pollen, etc. from embedding in the fabric. Generally, it is easiest to wash the canvas while it is installed on your boat.

- Use a soft-bristled brush to remove all dust and loose dirt.
- 2. Hose down the canvas with freshwater.
- Gently wash the canvas with a solution of lukewarm water (no more than 100° F) and non-detergent mild soap, such as Ivory Snow®, Dreft®, or Woolite®.
- 4. Rinse thoroughly to remove the soap.
- 5. Before stowing, let the canvas dry completely.

Stubborn Stains



Soaking in bleach solutions may remove the waterproof finish of the fabric and may also decrease the life of the polyester thread used in the canvas. If needed, a water repellent treatment should be reapplied to your canvas. Ask your dealer about the treatments available for your boat's canvas.

Some stubborn stains may resist normal washing and you can try the methods below. However, these methods may remove the waterproof finish of the fabric and may also decrease the life of the polyester thread used in the canvas. Reapply a water repellent treatment as needed.

Method 1:

- 1. Add 1/8 cup (1 oz.) of non-chlorine bleach to one gallon of water and mix thoroughly.
- 2. Thoroughly wet the canvas and then gently scrub the stained area with the weak bleach solution.
- 3. Rinse with cold water to remove all of the solution.

Method 2:

- Add 1/2 cup (4 oz.) of non-chlorine bleach and 1/2 cup (4 oz.) Ivory Snow®, Dreft®, or Woolite® to one gallon of water and mix thoroughly.
- 2. Soak the canvas in this solution for about 20 minutes.
- 3. Rinse with cold water to remove all of the solution.

Chapter 8: Entertainment System

Audio System (If Equipped)

NOTICE

AM radio reception may be impaired when the engine is running.

Read the manufacturer's instruction manual before using the audio equipment.

Chapter 9: Lights

Care and Maintenance

All of the lights installed on your boat are of top quality, but you should be aware that failure may periodically occur for a variety of reasons:

- There may be a blown fuse replace the fuse.
- The bulb may be burned out carry spare replacement bulbs, making sure the wattage is correct .
- A wire may be damaged or may have come loose repair as required.
- The bulb base may be corroded clean the base and coat it with non-conductive electrical lubricant .

Interior and Exterior Lights

1 CAUTION

- Be conservative in the use of battery power.
- Prolonged use of cabin interior lights (overnight) WILL result in a drained battery.
- The lights are powered by your boat's 12-Volt DC system.
- The battery switch must be turned On for the lights to work.

Interior and Exterior Lights

! CAUTION

Avoid the storage of gear where it would block navigation lights from view.

NOTICE

Running lights are legally required to show boat direction and right-of-way at night.

Read the navigation light section in the Sport Boat Owner's Manual.

Chapter 10: Electrical System

A DANGER

EXTREME FIRE, SHOCK and EXPLOSION HAZARD!

- NEVER install non-ignition protected switches or other arcing devices in the fuel compartment.
- NEVER substitute automotive parts for marine parts. Marine electrical, ignition, and fuel system parts were designed and manufactured to comply with rules and laws that minimize the risks of fire and explosion.
- NEVER change the electrical systems or relevant drawings.
- Allow ONLY trained personnel to install batteries and/or do electrical system work.

! WARNING

FIRE and EXPLOSION HAZARD!

Fuel vapors can explode! BEFORE turning on electrical devices or working on the electrical system:

Check the bilge areas for fuel vapors or leaking fuel. If you see leaking fuel or smell fuel vapors:

- Do NOT start the engine, do NOT turn On any electrical devices, put out ALL cigarettes, cigars, and other sources of flame or ignition.
- Get everyone off your boat.
- Get trained help to find and fix the problem.

! CAUTION

SHOCK and ELECTRICAL SYSTEM DAMAGE HAZARD!

When the engine is running, NEVER disconnect the battery cables. Doing so could cause damage to your boat's engine and/or electrical system.

NOTICE

Electrical connections are prone to corrosion. To reduce corrosion-caused electrical problems:

- Keep ALL electrical connections clean.
- Apply a spray-on protectant that is designed to protect connections from corrosion.

12-Volt DC System

Battery


The battery supplies electricity for lights, 12-Volt accessories and engine starting.

The Electrical section in the Sport Boat Owner's Manual provides battery care and maintenance instructions.

Fuses

Replace fuses ONLY with a fuse of the same rating. Fuses for the accessories are on the fuse block. See the Component Locations section in Chapter 2 for the location of the fuse block. Fuses for the engine control and gauges are on the engine. See the engine operation manual.

Some equipment may have secondary fuse protection at the unit or at the battery.



12-Volt DC Accessory Outlet (if Equipped)



Do NOT use the 12-Volt DC accessory outlet with a cigarette or cigar lighter. High temperatures may melt the outlet.


- The 12-Volt DC accessory outlet can be used with any 12-Volt device which draws 10-amps or less.
- The 12-Volt DC accessory outlet is protected by a 10-amp fuse on the fuse block.

See the Component Locations section in Chapter 2 for the location of the 12-Volt DC accessory outlet.

Alternator


The alternator will keep the battery properly charged when the engine is running at, or above, cruising speeds.

DC Wiring Schematics (1 of 3)




NOTES: 1 REF DUE 09: 903 70° CONTROL STATION INSTRUMENT/SWITCH FAMEL WS/ALLANDS CONNECT WRE (381-16 FER 19 Th-5 "M" CONNECTOR 20NREDT WIRE 941M-16 BLV/PEL 19 TH-5 "M" CONNECTOR

DC Wiring Schematics (2 of 3)












DC Wiring Schematics (3 of 3)




Electrical Routings 12-Volt DC Deck Harnesses



Battery Cable Routings



Trolling Motor Harness (If Equipped)



Important Records Selling Dealer **Key Numbers Electronics** Model Name/Number Shirth Makinger Service Manager Engine Manufacture Mose hanefurner Maridactures Engine Serial Number Caury per Enging F-114 Гура Manufacturer Modet Namo/Nurrboy Propeller Senal Number Manufacturer Manufacturor Model Name/Number

Seral Number

Cruise Plan

Before going boating, fill out a copy of this float plan (or similar) and leave it with a **reliable** person whom you can depend on to contact the Coast Guard or other rescue organization, if you do not return as scheduled.

Description of Craft

| R | legistration/Documentation Number | | | Full Name | |
|----------------|-----------------------------------|-------------------|--------------------|--------------|--------|
| Lenglh | Make | Туре | Male or Female | Age | Health |
| | | | | | |
| Hull Color | T | nim Color | | | |
| | | | | Full Name | |
| Fuel Capacity | Engine Type | Number of Engines | Male or Female | Age | Heafin |
| | Distinguishing Features | | INDIO OI I GIIIANO | 7.90 | 7.444 |
| | 2.0 | | | | |
| | Distinguishing Features | | 1 | Full Name | |
| | | | | | |
| | | | Malg of Female | Age | Health |
| perator of Cra | ft | | | | |
| | | | *** | Full Name | |
| | Full Name | | | | |
| Ma'e or Female | Age | Health | Male or Female | Age | Health |
| | | | | | |
| | Address | | | Full Name | |
| | | | | | |
| | Address | | Male or Female | Age | Health |
| | Phone/FAX/E-mail | | | | |
| | | | * | Full Name | |
| | Operator's Experience | | | | |
| | | | Male or Female | Age | Health |
| Onboo | | | | | |
| ersons Onboa | ira | | | Full Name | |
| | Full Namo | | | | |
| | | | Male or Female | Age | Health |
| Male or Female | Age | Health | | | |
| | | | | Full Name | |
| | | | | 1 Gil isanio | |
| | Full Name | | Male or Female | Age | Health |
| | 200 | Vosilh | | | |

| Burvival Equipn | nent | | Stopover plan | |
|-----------------------|------------------------------|----------------------|--|---|
| Marine Radio (Yes/No) | Туре | Frequencies | Depa | rling From |
| Number of PFDs | Flares (Yes/No) | Mirror (Yes/No) | Departing Date | Departing Time |
| moke Signal (Yes/No) | Flashlight (Yes/No) | Food (Yes/No) | Sio | pover 1 |
| Water (Yes/No) | Anchor (Yes/No) | Reft/Dinghy (Yes/No) | Arrive No Leier Then: Date | |
| Paddies (Yes/No) | EPIRB (Yes/No) | Other | Control Calor Trans. Date | Arrivo No Lafer Than: Time |
| Other | Other | Other | Stop | pover 2 |
| | | | Arrive No Later Than: Date | Arrive No Later Than Time |
| hicle Descript | tion | | Stop | pover 3 |
| Make | | Model | Алтive No Laler Than Date | Arrive No Later Than Time |
| Color | Where is the Vehicle Parked? | License Number | Stop | vover 4 |
| | | | Arrive No Later Than: Date | Arrive No Later Than: Time |
| | | | Stop | over 5 |
| | | | Arrive No Laler Than: Date | Arrive No Laler Than: Time |
| | | | Stope | over 6 |
| | | | Arrive No Laler Thon, Dale | Arrive No Later Thee: Time |
| | | | Final Destination Port (If 6 | Different Than Home Port) |
| | | | Arrive No Later Than Date | Arrive No Later Than: Time |
| | | | If not returned by the date a the Coast Guard or other lo | nd time listed above, cal cal authority. |
| | | | Cossi Guard P | hone Number |
| | | | | |

Local Authority Phone Number